Clin Orthop Relat Res, 2004, 423: 227-234.

- [9] Schwarz KE. Postoperative computed tomography-based control of syndesmotic screws[J]. Eur J Trauma Surg, 2005, 3; 266-270.
- [10] Loomer R, Fisher C, Lloyd-Smith R, et al. Osteochondral lesions of the talus[J]. Am J Sports Med, 1993, 21:13-19.

[11] Becher C, Thermann H. Results of microfracture in the treatment of articular cartilage defects of the talus[J]. Foot Ankle Int, 2005, 26 (8) · 583-589.

(收稿日期:2011-05-17 本文编辑:连智华)

·病例报告·

桡骨干下 1/3 骨折并桡骨头脱位 1 例

陈肖,彭力平

(深圳市第二中医院,广东 深圳 518034)

关键词 桡骨骨折; 脱位; 石膏,外科

DOI: 10.3969/j.issn.1003-0034.2011.09.003

Fracture of lower 1/3 radius complicated with dislocation of head of radius; a report of 1 case CHEN Xiao, PENG Li-

ping. The Second Hospital of Traditional Chinese Medicine of Shenzhen, Shenzhen 518034, Guangdong, China

KEYWORDS Radius fractures; Dislocations; Casts, surgical

Zhongguo Gu Shang/China J Orthop Trauma, 2011, 24(9):718 www.zggszz.com

患儿,男,7岁,玩要时不慎摔倒,右手掌撑地后即右前臂疼痛、流血,活动受限,0.5 h 后来我院就诊。查体:右前臂下段肿胀,向掌侧成角畸形,右肘关节后外侧肿痛,前臂及肘关节功能受限。右前臂下段掌侧有1个0.2 cm 裂口。右桡尺骨全长正侧位 X 线片示:右桡骨干下段横行骨折,远折端向背桡侧分离移位,桡骨头向后外脱位(图 1a)。在臂丛麻醉下行清创,手法复位术。先屈肘90°,一手拇指用力向前向内按压桡骨头,使之复位;再对抗牵引,端挤提拉手法整复骨折。予石膏托固定右肘关节屈曲90°,前臂旋后、右腕掌屈尺偏位。复查X线片:右侧桡骨头脱位已纠正,右桡骨骨折对线良好,对位1/2以上(图 1b)。

讨论

桡骨干下 1/3 骨折并桡骨头脱位在临床上罕见, 经中国 医院知识库检索 (1979-2010 年) 未见相关报道, 维普资讯 (1989-2010 年) 仅见 2 例类似报道[1-2]。在各种桡骨头骨折的 分类中,也不包含此种类型骨折。本病的发生率低,需警惕误诊,应注意细致的临床检查,除明确桡骨骨折之外,及时检查 肘部及前臂旋转情况,若怀疑桡骨头脱位应加摄肘关节正侧位 X 线片。治疗上宜逆损伤机制整复并固定在相反的旋转体位。该例患者手法复位效果欠佳,考虑因桡骨头脱位及关节囊的损伤,使得施加于桡骨两端的对抗牵引失效所致。若手法复位欠佳或功能对线不满意,需及时行桡骨远端骨折切开复位手术治疗。

参考文献

[1] 徐正生. 桡骨下段骨折并桡骨小头脱位 1 例[J]. 中医正骨, 1995,7(1):46.

Xu ZS. Fracture of distal end of radius complicated with dislocation





图 1 患儿,男,7岁,桡骨下段骨折并桡骨头脱位 1a. 治疗前正侧位 X 线片 1b. 治疗后 1 周时正侧位 X 线片示骨折对位对线欠佳,成角畸形仍存在

Fig.1 Male, 7-year-old, distal fracture of radius with dislocation of radius head
1a. Preoperative AP and lateral X-rays
1b. Postoperative X-rays at 7 days showed the apposition and the bony alignment were worse than before, the abnormal angulation of radius still existed

of head of radius: a report of 1 case [J]. Zhong Yi Zheng Gu, 1995, 7 (1); 46. Chinese.

[2] 秦步平, 黄圣达, 倪赵勤. 桡骨干骨折伴肱桡关节脱位 1 例[J]. 中国骨伤, 1994, 7(5):13.

Qin BP, Huang SD, Ni ZQ. Fracture of radius complicated with dislocation of humeroradial joint; a report of 1 case[J]. Zhongguo Gu Shang/China J Orthop Trauma, 1994, 7(5); 13. Chinese.

(收稿日期:2011-03-29 本文编辑:连智华)